

# FIGURES TO SUPPLEMENTARY GUIDELINES ON GOOD MANUFACTURING PRACTICES FOR HEATING, VENTILATION AND AIR-CONDITIONING (HVAC) SYSTEMS FOR NON-STERILE DOSAGE FORMS

# APPENDIX TO MAIN GUIDELINES

## © World Health Organization 2005

All rights reserved.

This draft is intended for a restricted audience only, i.e. the individuals and organizations having received this draft. The draft may not be reviewed, abstracted, quoted, reproduced, transmitted, distributed, translated or adapted, in part or in whole, in any form or by any means outside these individuals and organizations (including the organizations' concerned staff and member organizations) without the permission of WHO. The draft should not be displayed on any website.

Please send any request for permission to:

Dr Sabine Kopp, Quality Assurance & Safety: Medicines (QSM), Department of Medicines Policy and Standards (PSM), World Health Organization, CH-1211 Geneva 27, Switzerland.

Fax: (41-22) 791 4730; e-mails: kopps@who.int; bonnyw@who.int

The designations employed and the presentation of the material in this draft do not imply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.


The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned.

Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

The World Health Organization does not warrant that the information contained in this draft is complete and correct and shall not be liable for any damages incurred as a result of its use.

# **APPENDIX**

Figures referred to in the main body of the document, with the reference "See Appendix", are reproduced in chronological order below






Figure 2




FIGURE 3




FIGURE 4




FIGURE 5

[Note from WHO Secretariat: in figure "clean rooms" will be changed "to "clean areas" in editing process]




FIGURE 6




FIGURE 7

Figure 8 below gives a rough comparison between the different filter standards. [Filter classes should always be connected to the standard test method.]

APPROXIMATION OF EQUIVALENT FILTER STANDARDS

### **EU Class** % **EN 779 &** (Integral EN 1822 Value) 99,99995 U16 EN 1822 99,9995 U15 14 99,995 U14 13 99,95 H13 12 11 % 99,5 H12 (Average) 95 H11 10 85 F9/H10 9 8 90 75 F8 85 **F7** 7 80 75 70 F6 6 65 60 55 5 50 F5 45 % 40 (Average) 35 4 95 30 G4 90 25 G3 3 85 20 80 75 2 70 G2 65 G1 MPPS, DEHS CEN/TC/195 WG1-G1-F9 Eurovent Class -**Dust Spot** Arrestance Eurovent 4/5 (2-9) Eurovent 4/9 (2-9) Efficiency ASHRAE 52/76 Aerosol EN1822 % WG2-H10-16 Eurovent 4/4 (10-14) BS6540 Part 1 (1985)

Fig. 8 Comparison of filter test standards




FIGURE 9




FIGURE 10




FIGURE 11





FIGURE 12






FIGURE 13





FIGURE 14






FIGURE 16







FIGURE 17



**DESIGN CONDITION** 





MAXIMUM DIFFERENTIAL

MINIMUM DIFFERENTIAL

FIGURE 18




FIGURE 19

[Note from WHO Secretariat: will change figures to> 5 Pa, 15 Pa and 30 Pa to replace by 15, 30 and 45 Pa in editing process]




FIGURE 20




FIGURE 21

FIGURE 22






FIGURE 23




FIGURE 24





FIGURE 25









FIGURE 27

FIGURE 28






FIGURE 29